

(1) Statistics meta information (indicator) acquisition

• Base URL

No	Public format	Base URL
1	XML	https://dashboard.e-stat.go.jp/api/1.0/XML/getIndicatorInfo?
2	JSON	https://dashboard.e-stat.go.jp/api/1.0/Json/getIndicatorInfo?
3	CSV	https://dashboard.e-stat.go.jp/api/1.0/Csv/getIndicatorInfo?

Note: Base URL is case-sensitive. The parameter name of the request parameter is also case-sensitive.

• Request parameter

No	Parameter name	Parameter outline and use, etc.	acquir	Multiple selection possible or not	Code	Description
1	Lang	Language of data to acquire ("JP" if not specified)			JP (default) EN	Japanese English
2	IndicatorCode	Indicator code (Use if indicator code is already known)		✓ (Can specify up to 50)	(19 digit indicator code for which you want to acquire information) Ex: &IndicatorCode=11111111111111111111,22222222222222222222	When specifying multiples, delimit using ","
3	Category	Statistics category code (small classification) (Use when wanting to do a rough search of the category)			Refer to [Code information] sheet	
4	Time	Time axis (individual) (Use when searching for indicators that hold data for the specified time) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [nQ]=nth quarter (n=1~4) [CY]=Calendar year (fixed characters), [FY]=Fiscal year (fixed characters), [Ending 00]=fixed characters			yyyymm00 yyyy1Q00 .yyyy2Q00 .yyyy3Q00 .yyyy4Q00 yyyyCY00 yyyyFY00	Month Quarter Calendar year Fiscal year
5	TimeFrom	Time axis (start)			Same as time axis (individual)	
6	TimeTo	Time axis (end)			Same as time axis (individual)	
7	Cycle	Data cycle (Use when searching for indicators that hold data for the specified cycle)			1 2 3 4	Month Quarter Year Fiscal year
8	RegionalRank	Regional rank (Use when searching for indicators that hold data for the specified regional rank)			1 2 3 4	Country Nationwide (Japan) Prefecture City
9	IsSeasonalAdjustment	Original and seasonal adjusted figures (Use when searching for indicators that hold data with the original figures or the seasonally adjusted figures)			1 2	Original figures Seasonally adjusted figures
10	StatCode	Statistics code (Use if statistics code is already known for indicators you want to search)			Refer to [Code information] sheet	Statistics code linked to indicator information you want to acquire
11	StatName	Statistical survey name (Use when wanting to search from the statistical survey name)			[Statistical survey name for which you want to acquire information] Search by partial match Refer to the StatCode description line in the "Code information" sheet for character strings that are used for search options.	When using characters that cannot be used in an URL such as Japanese, URL encoding (character code UTF-8) is required
12	SearchIndicatorWord	Indicator name (Use when wanting to search using the indicator name)			[Indicator name for which you want to acquire information] Search by partial match	When using characters that cannot be used in an URL such as Japanese, URL encoding (character code UTF-8) is required
13	callback	Callback function name (JSONP: Use when acquiring as cross-domain data)			[Optional character strings (function name)]	Can specify only JSON format. Use when specifying information as JSONP. (Not recommended for supporting CORS)
14	modifiedFrom	Date of update (start) (Use when searching for information that was updated recently) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [dd]=Date (0 supplemented)			yyyymmdd	
15	modifiedTo	Date of update (end)			yyyymmdd	

(2) Statistics meta information (region) acquisition

• Base URL

No	Public format	Base URL
1	XML	https://dashboard.e-stat.go.jp/api/1.0/XML/getRegionInfo?
2	JSON	https://dashboard.e-stat.go.jp/api/1.0/Json/getRegionInfo?
3	CSV	https://dashboard.e-stat.go.jp/api/1.0/Csv/getRegionInfo?

Note: Base URL is case-sensitive. The parameter name of the request parameter is also case-sensitive.

• Request parameter

No	Parameter name	Parameter outline and use, etc.	acquir	Multiple selection possible or not	Code	Description
1	Lang	Language of data to acquire ("JP" if not specified)			JP (default) EN	Japanese English
2	RegionCode	Region code (Use if region code is already known)		✓ (Can specify up to 50)	(5 digit city code for which you want to acquire information) (Country level is country name code (ISO 3166-1) 3 digits)	When specifying multiples, delimit using "," Ex: &RegionCode=00000,13100
3	ParentRegionCode	Top rank region code (Use when searching for "child" regions linked to "parent" (top rank) regions)			(5 digit top rank region code for region code which you want to acquire information) [Region hierarchy image] 1. Nationwide 2. Prefecture 3. City(District, sub-prefecture, promotion office) 4. Ward, town, village	Ex 1: Parent code "00000" (Nationwide) Child code "01000" (Hokkaido) Child code "47000" (Okinawa-ken) Ex 2: Parent code "13000" (Tokyo-to) Child code "13100" (Ku-area) : Child code "13420" (Ogasawara sub-prefecture) Ex 3: Parent code "13100" (Ku-area) Child code "13101" (Chiyoda-ku) : Child code "13123" (Edogawa-ku) Ex) Get a list of municipalities in each prefecture (Ex:lwate-ken(03000)) Parent code[ParentRegionCode=03000 (Iwate-ken)]designate Child code [03201] (Morioka-shi) Child code [03202] (Miyako-shi) : Child code [03500] (Kunohe-gun) Child code [03520] (Ninohe-gun) ※ "City" and "District" information can be obtained. The parent code for "town" and "village" is "district (sub-prefecture, promotion office)". Please change the Parent code to obtain the "town" and
4	Time	Time axis (individual) (Use when searching for regions that exist in the specified time)			yyyymm00 yyyy1Q00 .yyyy2Q00 .yyyy3Q00 .yyyy4Q00	Month Quarter

		[yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [nQ]=nth quarter (n=1~4) [CY]=Calendar year (fixed characters), [FY]=Fiscal year (fixed characters), Ending 00= (fixed characters)			yyyyCY00 Calendar year
					yyyyFY00 Fiscal year
5	TimeFrom	Time axis (start)			Same as time axis (individual)
6	TimeTo	Time axis (end)			Same as time axis (individual)
7	RegionLevel	Region level (Use when wanting to search in a smaller group of a region such as at a prefecture level or city level)		✓	Refer to [Code information] sheet Region level you want to acquire When specifying multiples, delimit using "," (Search using the OR condition when specifying multiples)
8	SearchRegionWord	Region name (Use when wanting to search using the region name)			[Region name for which you want to acquire information] Search by partial match When using characters that cannot be used in a URL such as Japanese, URL encoding (character code UTF-8) is required
9	callback	Callback function name (JSONP: Use when acquiring as cross-domain data)			{Optional character strings (function name)} Can specify only JSON format. Use when specifying information as JSONP. (Not recommended for supporting CORS)
10	modifiedFrom	Date of update (start) (Use when searching for information that was updated recently) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [dd]=Date (0 supplemented)			yyyymmdd
11	modifiedTo	Date of update (end)			yyyymmdd

(3) Statistics meta information (term) acquisition

• Base URL

No	Public format	Base URL
1	XML	https://dashboard.e-stat.go.jp/api/1.0/Xml/getTermInfo?
2	JSON	https://dashboard.e-stat.go.jp/api/1.0/Json/getTermInfo?
3	CSV	https://dashboard.e-stat.go.jp/api/1.0/Csv/getTermInfo?

Note: Base URL is case-sensitive. The parameter name of the request parameter is also case-sensitive.

• Request parameter

No	Parameter name	Parameter outline and use, etc.	require	Multiple selection possible or not	Code	Description
1	Lang	Language of data to acquire ("JP" if not specified)			JP (default) EN	Japanese English
2	Category	Statistics category code (small classification) (Use when wanting to do a rough search of the category)			Refer to [Code information] sheet	
3	IndicatorCode	Indicator code (Use when wanting to search for terms linked to the indicator code)			{19 digit indicator code for which you want to acquire information}	
4	StatCode	Statistics code (Use when wanting to search for terms linked to the statistics code and statistical survey name)			Refer to [Code information] sheet	The statistics code from public statistics is the same as the "government statistics code".
5	SearchTermWord	Term name (Use when wanting to search using the term name)			{Term name for which you want to acquire information} Search by partial match	When using characters that cannot be used in a URL such as Japanese, URL encoding (character code UTF-8) is required
6	callback	Callback function name (JSONP: Use when acquiring as cross-domain data)			{Optional character strings (function name)}	Can specify only JSON format. Use when specifying information as JSONP. (Not recommended for supporting CORS)
7	modifiedFrom	Date of update (start) (Use when searching for information that was updated recently) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [dd]=Date (0 supplemented)			yyyymmdd	
8	modifiedTo	Date of update (end)			yyyymmdd	

(4) Statistics meta information (social event) acquisition

• Base URL

No	Public format	Base URL
1	XML	https://dashboard.e-stat.go.jp/api/1.0/Xml/getSocialEventInfo?
2	JSON	https://dashboard.e-stat.go.jp/api/1.0/Json/getSocialEventInfo?
3	CSV	https://dashboard.e-stat.go.jp/api/1.0/Csv/getSocialEventInfo?

Note: Base URL is case-sensitive. The parameter name of the request parameter is also case-sensitive.

• Request parameter

No	Parameter name	Parameter outline and use, etc.	require	Multiple selection possible or not	Code	Description
1	Lang	Language of data to acquire ("JP" if not specified)			JP (default) EN	Japanese English
2	Time	Time axis (individual) (Use when searching for social events that exist in the specified time) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [nQ]=nth quarter (n=1~4) [CY]=Calendar year (fixed characters), [FY]=Fiscal year (fixed characters), Ending 00= (fixed characters)			yyyymm00 yyyy1Q00 .yyyy2Q00 .yyyy3Q00 .yyyy4Q00 yyyyCY00 yyyyFY00	Month Quarter Calendar year Fiscal year
3	TimeFrom	Time axis (start)			Same as time axis (individual)	
4	TimeTo	Time axis (end)			Same as time axis (individual)	
5	SocialEventLevel	Social event level (Use when wanting to filter only important events, etc.)			1 2 3	Low Medium High
6	Category	Statistics category code (small classification) (Use when wanting to do a rough search of the category)			Refer to [Code information] sheet	
7	callback	Callback function name (JSONP: Use when acquiring as cross-domain data)			{Optional character strings (function name)}	Can specify only JSON format. Use when specifying information as JSONP. (Not recommended for supporting CORS)
8	modifiedFrom	Date of update (start) (Use when searching for information that was updated recently) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [dd]=Date (0 supplemented)			yyyymmdd	
9	modifiedTo	Date of update (end)			yyyymmdd	

(5) Statistics meta information (statistical survey) acquisition

• Base URL

No	Public format	Base URL
1	XML	https://dashboard.e-stat.go.jp/api/1.0/Xml/getStatInfo?
2	JSON	https://dashboard.e-stat.go.jp/api/1.0/Json/getStatInfo?
3	CSV	https://dashboard.e-stat.go.jp/api/1.0/Csv/getStatInfo?

Note: Base URL is case-sensitive. The parameter name of the request parameter is also case-sensitive.

• Request parameter

No	Parameter name	Parameter outline and use, etc.	require	Multiple selection possible or not	Code	Description
1	Lang	Language of data to acquire ("JP" if not specified)			JP (default) EN	Japanese English
2	IndicatorCode	Indicator code (Use if indicator code is already known)		✓ (Can specify up to 50)	{19 digit indicator code for which you want to acquire information}	When specifying multiples, delimit using "," Ex: &IndicatorCode=11111111111111111111,22222222222222222222
3	StatCode	Statistics code (Use if statistics code is already known)			Refer to [Code information] sheet	The statistics code from public statistics is the same as the "government statistics code".

17	modifiedFrom	Date of update (start) (Use when searching for information that was updated recently) [yyyy]=Gregorian calendar year, [mm]=Month (0 supplemented), [dd]=Date (0 supplemented)		yyyymmdd	
18	modifiedTo	Date of update (end)		yyyymmdd	

No	Parameter name	Code	Description
1	Category	0101	Land
		0102	Climate
		0201	Population
		0202	Household
		0203	Vital Statistics
		0204	Migration
		0301	Labour Force
		0302	Wages and Working Conditions
		0303	Employment
		0304	Labour-Management Relations
		0305	Work-Related Accident
		0401	Agriculture
		0403	Forestry
		0404	Fisheries
		0501	Mining
		0502	Manufacturing
		0601	Commerce
		0603	Service Trade
		0701	Business Activities
		0702	Finance, Insurance and Currency
		0703	Prices
		0704	Family Income and Expenditure
		0705	National Accounts
		0706	Economy
		0801	Housing and Estate
		0802	Construction
		0901	Electricity
		0902	Gas
		0903	Supply and Demand of Energy
		0904	Water
		1001	Transport
		1003	Sightseeing
		1101	Information and Communication, Broadcasting
		1102	Science and Technology
		1201	School Education
		1202	Social Education
		1203	Culture, Sports and Life
		1301	Administration
		1302	Public Finance
		1304	Elections
		1401	Justice
		1402	Crime
		1403	Disasters
		1404	Accidents
		1405	Environment
		1501	Social Security
		1502	Social Insurance
1503	Social Welfare		
1504	Health and Sanitation		
1505	Medical Care		
1601	Trade and The International Trade Balance		
1602	International Collaboration		
9999	Others		
2	StatCode	00100401	Machinery Orders
		00100406	Indexes of Business Conditions

00100409	National Accounts
00130001	Crime Statistics
00200216	Survey on the number of Local Government Employees
00200251	Survey on Local Public Finance
00200502	System of Social and Demographic Statistics
00200521	Population Census
00200522	Housing and Land Survey
00200524	Population Estimates
00200531	Labour Force Survey
00200532	Employment Status Survey
00200533	Survey on Time Use and Leisure Activities
00200541	Unincorporated Enterprise Survey
00200543	Survey of Research and Development
00200544	Monthly Survey on Service Industries
00200546	Monthly Business Survey of Services
00200552	Economic Census
00200561	Family Income and Expenditure Survey
00200564	National Survey of Family Income, Consumption and Wealth (Former National Survey of Family Income and Expenditure)
00200567	Consumption Trend Index
00200571	Retail Price Survey
00200573	Consumer Price Index
00201001	Pollution Complaint Survey
00202002	Annual Report on Firefighting Services in Japan
00250011	Statistics on Legal Migrants
00250012	Statistics on Foreign Nationals Residing in Japan (Statistics on Foreigners Registered in Japan)
00400001	School Basic Survey
00400004	Social Education Survey
00400306	Survey Results on ICT in School Education
00450011	Vital Statistics
00450013	Specified Report of Vital Statistics
00450021	Survey of Medical Institutions
00450025	Report on Regional Public Health Services and Health Promotion Services
00450026	Statistics of Physicians, Dentists and Pharmacists
00450027	Report on Public Health Administration and Services
00450041	Survey of Social Welfare Institutions
00450042	Survey of Institutions and Establishments for Long-term Care
00450046	Report on Social Welfare Administration and Services
00450071	Monthly Labour Survey
00450222	Employment Referrals for General Workers
00500209	Census of Agriculture and Forestry
00500215	Crop Survey
00500216	Statistics on Marine Fishery Production
00500228	Survey of Processed Fishery Products (Survey of Fishery Products Marketing)
00500300	Food Balance Sheet
00501000	Wood Demand and Supply Chart
00550030	Current Survey of Commerce
00550200	Current Production Survey of METI
00550300	Indices of Industrial Production
00550320	Indices of Production Capacity and Operating Ratio
00550360	Indices of Tertiary Industry Activity
00600120	Housing Starts (Building Starts)
00600130	Current Survey on Orders Received for Construction (Statistics on Construction Works)
00600240	Building Losses Statistics Survey
00600610	Survey on Conditions of Road Facilities (Statistical Survey on Roads)
00600700	Motor Vehicles Owned Monthly Report
00601020	Accommodation Survey

		10010101	Chronological Scientific Tables
		10020101	World Population Prospects
		10020102	Demographic Yearbook
		10020301	Global Health Observatory
		10020302	Population Statistics
		10030101	ILOSTAT
		10040101	FAOSTAT
		10050101	Energy Statistics Yearbook
		10070102	International Financial Statistics
		10070510	National Accounts - Analysis of Main Aggregates (AMA)
		10110101	ICT Statistics Home Page
		10120101	Sekai Kokusei Zue
		10140501	OECD Data Explorer
		10160102	Balance of Payments and International Investment Position Statistics
		10160201	Statistics on Resource Flows to Developing Countries
		20000001	Japan Statistical Yearbook
		20010101	River Management Statistics
		20010102	White Paper on Land
		20020101	Population Census / Population Estimates
		20020102	Population Projection for Japan
		20020103	Population Census / System of Social and Demographic Statistics
		20050201	Economic Census for Business Activity / Annual Business Survey
		20070101	Corporate Bankruptcies Record <Tokyo Shoko Research, Ltd.>
		20070201	Call rates <Bank of Japan>
		20070202	Financial and Economic Statistics Monthly <Bank of Japan>
		20070203	Japan Exchange Group, Inc. Monthly Statistics Report
		20070204	Nikkei Indexes -Nikkei 225 Official Site- <Nikkei Inc.>
		20070205	Foreign Exchange Market <Bank of Japan>
		20070206	Monetary Base Statistics <Bank of Japan>
		20070207	Money Stock Statistics <Bank of Japan>
		20070208	Principal Figures of Financial Institutions <Bank of Japan>
		20070209	Japan Bond Trading Co., Ltd. Market Data
		20070210	Statistics Compiled by General Insurance Rating Organization of Japan
		20070301	Corporate Goods Price Index <Bank of Japan>
		20070501	Prefectural Accounts
		20090101	Summary of Electric Power Industry
		20090102	Wind power generation facilities and introduction results in Japan
		20090401	Status of Sewage Treatment Population Penetration
		20090402	Sewerage Works Statistics <Japan Sewerage Works Association>
		20100101	Sales of new vehicles <Japan Automobile Dealers Association>
		20100102	Sales of new vehicles <Japan Light Motor Vehicle and Motorcycle Association>
		20100103	Survey on Municipal Tax Status, etc.
		20110101	Voice communication usage status in Japan from the viewpoint of communication volume
		20120101	Regarding the number of authorized child centers, etc.
		20120102	Summary of Situation Related to Nursery Centers, etc.
		20120301	Urban Park Database and Survey of Current State of Urban Park Development
		20120302	Number of Cultural Properties Designated
		20140301	White Paper on Fire Service
		20140501	Aggregate Results of Greenhouse Gas Emissions Using Calculation, Reporting, and Disclosure System Based on the Act on Promotion of Global Warming Countermeasures
		20160101	Balance of Payments
		20160102	The summary report on trade of Japan
3	RegionLevel	1	Country
		2	Nation Wide (Japan)
		3	Prefecture
		4	City, etc. (Gather Sub-prefecture, Promotion office, District, Special wards area, Government-designated city, City, Special ward, Ward, Town, and Village)
		5	Sub-prefecture, Promotion office

	6	District
	7	Special wards area
	8	Government-designated city
	9	City
	10	Special ward
	11	Ward
	12	Town
	13	Village

(1) Statistics meta information (indicator) acquisition

• Response data (XML)

No	Element (tag) name										Attribute	Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10			
1	GET	META	INDICATOR	INF								Parent tag	1
2		RESULT										Output communication results information	1
3			STATUS									Status code *1	1
4			ERROR_MSG									Message *1	1
5			DATE									Implemented date and time	1
6		PARAMETER										Output input parameter information	1
7			LANG									Language	1
8			INDICATOR_CODE									Indicator code	0..50
9			CATEGORY									Small classification	0..1
10			TIME									Time code	0..1
11			TIME_FROM									Time code (start)	0..1
12			TIME_TO									Time code (end)	0..1
13			CYCLE									Cycle code	0..1
14			REGIONAL_RANK									Regional rank code	0..1
15			IS_SEASONAL_ADJUSTMENT									Original and seasonal adjusted code	0..1
16			STAT_CODE									Statistics code	0..1
17			STAT_NAME									Statistical survey name	0..1
18			SEARCH_INDICATOR_WORD									Indicator name	0..1
19			MODIFIED_FROM									Date of update (start)	0..1
20			MODIFIED_TO									Date of update (end)	0..1
21		METADATA_INF										Output meta information	1
22			CLASS_INF									Gather meta information (indicator)	1
23				CLASS_OBJ								Output 1 indicator information	1..*
24					name							Indicator name	1
25					code							Indicator code	1
26				TERM_DETAILS								Gather description of terms	0..1
27					TERM_DETAIL							Description of terms	1..*
28						code						Term code	1
29						name						Term name	1
30				INDI_ANNOTATIONS								Container for indicator element annotation	0..*
31					cycle							Cycle code	1
32					regionalRank							Regional rank code	1
33					isSeasonal							Original and seasonal adjusted code	1
34					areaCode							Regional code (only when linking to a specific region)	0..1
35					INDI_ANNOTATION							Indicator element annotation (value)	1
36				CLASS								Output 1 indicator element information	1..*
37					name							Indicator name (element level)	1
38					sname							Abbreviated display name	1
39					fromDate							Start month and year (format is the same as the parameter "Time".)	1
40					toDate							End month and year (format is the same as the parameter "Time"). (Set "9999" for yyyy as a matter of convenience for items that will not be discarded.)	1
41					statName							Statistical survey name	1
42					unit							Unit name	1
43					Cycle							Output cycle information	1
44						code						Cycle code	1
45						name						Cycle name	1
46					RegionalRank							Output regional rank information	1
47						code						Regional rank code	1
48						name						Regional rank name	1
49					IsSeasonal							Output original and seasonal adjusted information	1
50						code						Original and seasonal adjusted code	1
51						name						Original and seasonal adjusted name	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(2) Statistics meta information (region) acquisition

No	Element (tag) name										Attribute	Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10			
1	GET	META	REGION	INF								Parent tag	1
2		RESULT										Output communication results information	1
3			STATUS									Status code *1	1
4			ERROR_MSG									Message *1	1
5			DATE									Implemented date and time	1
6		PARAMETER										Output input parameter information	1
7			LANG									Language	1
8			REGION_CODE									Region code	0..50
9			PARENT_REGION_CODE									Top rank region code	0..1
10			TIME									Time code	0..1
11			TIME_FROM									Time code (start)	0..1
12			TIME_TO									Time code (end)	0..1
13			REGION_LEVEL									Region level	0..1
14			SEARCH_REGION_WORD									Region name	0..1
15			MODIFIED_FROM									Date of update (start)	0..1
16			MODIFIED_TO									Date of update (end)	0..1
17		METADATA_INF										Output meta information	1
18			CLASS_INF									Gather meta information (region)	1
19				CLASS_OBJ								Output top rank region information *2 (Output items that share the top rank region code as a group from among the search results)	1..*
20					parentRegionCode							Top rank region code	1
21					name							Top rank region name	1
22					hiragana							Top rank region name hiragana	1
23				CLASS								Output 1 region information	1..*
24					regionCode							Region code	1
25					name							Region name	1
26					level							Region level	1
27					hiragana							Region name hiragana	1
28					fromDate							Start month and year (format is the same as the parameter "Time") *3	1
29					toDate							End month and year (format is the same as the parameter "Time") *3	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: When top rank region does not exist (if you are at the top rank region), the tag itself will output (attribute value is blank).

*3: Start month and year, end month and year will switch when the region code is the same and the name changed.

End month and year for surviving regions is fixed at "999912".

(3) Statistics meta information (term) acquisition

No	Element (tag) name										Attribute	Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10			
1	GET	META_TERM	INFO									Parent tag	1
2		RESULT										Output communication results information	1
3			STATUS									Status code *1	1
4			ERROR_MSG									Message *1	1
5			DATE									Implemented date and time	1
6		PARAMETER										Output input parameter information	1
7			LANG									Language	1
8			CATEGORY									Category code	0..1
9			INDICATOR_CODE									Indicator code	0..1
10			STAT_CODE									Statistics code	0..1
11			SEARCH_TERM_WORD									Term name	0..1
12			MODIFIED_FROM									Date of update (start)	0..1
13			MODIFIED_TO									Date of update (end)	0..1
14		METADATA_INF										Output meta information	1
15			CLASS_INF									Gather meta information (term)	1
16				CLASS_OBJ								(Tag that combines other API response and hierarchy)	1
17					CLASS							Output 1 term information	1..*
18						category						Category name	1
19						name						Term name	1
20						code						Term code	1
21						detail						Description of terms	1
22						linkUri						URL concerning term details and original information	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(4) Statistics meta information (social event) acquisition

No	Element (tag) name										Attribute	Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10			
1	GET	META_SOCIAL	INFO									Parent tag	1
2		RESULT										Output communication results information	1
3			STATUS									Status code *1	1
4			ERROR_MSG									Message *1	1
5			DATE									Implemented date and time	1
6		PARAMETER										Output input parameter information	1
7			LANG									Language	1
8			TIME									Time code	0..1
9			TIME_FROM									Time code (start)	0..1
10			TIME_TO									Time code (end)	0..1
11			SOCIAL_EVENT_LEVEL									Social event level	0..1
12			CATEGORY									Small classification	0..1
13			MODIFIED_FROM									Date of update (start)	0..1
14			MODIFIED_TO									Date of update (end)	0..1
15		METADATA_INF										Output meta information	1
16			CLASS_INF									Gather meta information (term)	1
17				CLASS_OBJ								Output 1 social event information	1..*
18					code							Social event code	1
19					name							Social event name	1
20					level							Social event level	1
21					fromTime							Start month and year (yyyy Year mm Month) mm has no 0 supplemented.	1
22					toTime							End month and year (yyyy Year mm Month) mm has no 0 supplemented.	1
23						CLASS						Output category information linked to the applicable social event	1..*
24						code						Category code	1
25						name						Category name	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(5) Statistics meta information (statistical survey) acquisition

No	Element (tag) name										Attribute	Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10			
1	GET	META_STAT	INFO									Parent tag	1
2		RESULT										Output communication results information	1
3			STATUS									Status code *1	1
4			ERROR_MSG									Message *1	1
5			DATE									Implemented date and time	1
6		PARAMETER										Output input parameter information	1
7			LANG									Language	1
8			INDICATOR_CODE									Indicator code	0..50
9			STAT_CODE									Statistics code	0..1
10			SEARCH_SURVEY_WORD									Statistical survey name	0..1
11			MODIFIED_FROM									Date of update (start)	0..1
12			MODIFIED_TO									Date of update (end)	0..1
13		METADATA_INF										Output meta information	1
14			CLASS_INF									Gather meta information (statistical survey)	1
15				CLASS_OBJ								(Tag that combines other API response and hierarchy)	1
16					CLASS							Output 1 statistical survey information	1..*
17						code						Statistics code	1
18						name						Statistical survey name	1
19						agency						Agency that performed the statistical survey	1
20						kind						Statistical survey type (fundamental statistics, general statistics, business statistics, processed statistics, other)	1
21						summary						Statistical survey outline	1
22						linkUri						URL link for statistical survey information	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(6) Statistics data acquisition

No	Element (tag) name										Attribute	Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10			
1	GET	STATS										Parent tag	1
2		RESULT										Output communication results information	1
3			STATUS									Status code *1	1
4			ERROR_MSG									Message *1	1
5			DATE									Implemented date and time	1
6		PARAMETER										Output input parameter information	1
7			LANG									Language	1
8			INDICATOR_CODE									Indicator code	1..5
9			REGION_CODE									Region code	0..50
10			PARENT_REGION_CODE									Top rank region code	0..1
11			REGION_LEVEL									Region level	0..1

12	TIME		Time code	0..1
13	TIME_FROM		Time code (start)	0..1
14	TIME_TO		Time code (end)	0..1
15	CYCLE		Cycle code	0..1
16	REGIONAL_RANK		Regional rank code	0..1
17	IS_SEASONAL_ADJUSTMENT		Original and seasonal adjusted code	0..1
18	STAT_NAME		Statistical survey name	0..1
19	VALUE_CONDITION		Refine conditions relating to the value	0..1
20	META_GET_FLG		Flag for whether meta information is acquired	0..1
21	SECTION_HEADER_FLG		Flag for whether communication results information is acquired	0..1
22	MODIFIED_FROM		Date of update (start)	0..1
23	MODIFIED_TO		Date of update (end)	0..1
24	STATISTICAL_DATA		Output statistics data information (meta, value)	1
25	RESULT_INF		Output search results count information	1
26	TOTAL_NUMBER		Total search results count	1
27	FROM_NUMBER		1 fixed	1
28	TO_NUMBER		Total search results count	1
29	CLASS_INF		Output meta information linked to the data	1
30	CLASS_OBJ	[Indicator]	Gather indicator information	1
31		id	[indicator] fixed	1
32		name	[Indicator] fixed	1
33		sname	[Abbreviated display name] fixed	1
34	CLASS		Output 1 indicator information	1..*
35		id	Indicator code	1
36		name	Indicator name	1
37		sname	Abbreviated display name	1
38	TERM_DETAILS		Gather description of terms	0..1
39	TERM_DETAIL		Description of terms	1..*
40		code	Term code	1
41		name	Term name	1
42	INDI_ANNOTATIONS		Container for indicator element annotation	0..*
43		cycle	Cycle code	1
44		regionalRank	Regional rank code	1
45		isSeasonal	Original and seasonal adjusted code	1
46		regionCode	Regional code (only when linking to a specific region)	0..1
47	INDI_ANNOTATION		Indicator element annotation (value)	1
48	CLASS_OBJ	[Unit]	Gather unit information	1
49		id	[unit] fixed	1
50		name	[Unit] fixed	1
51	CLASS		Output 1 unit information	1..*
52		id	Unit code	1
53		name	Unit name	1
54	CLASS_OBJ	[Statistical survey]	Gather statistical survey information	1
55		id	[stat] fixed	1
56		name	[Statistical survey name] fixed	1
57	CLASS		Output 1 statistical survey information	1..*
58		id	Statistics code	1
59		name	Statistical survey name	1
60	CLASS_OBJ	[Region]	Gather region information	1
61		id	[regionCode] fixed	1
62		name	[Region] fixed	1
63	CLASS		Output 1 region information	1..*
64		id	City code (Country level is country name code (ISO 3166-1) 3 digits)	1
65		name	Region name	1
66	CLASS_OBJ	[Time]	Gather time information	1
67		id	[time] fixed	1
68		name	[Time axis] fixed	1
69	CLASS		Output time axis information	1..*
70		id	Time code	1
71		name	Time axis label	1
72	CLASS_OBJ	[Data cycle]	Gather data cycle information	1
73		id	[cycle] fixed	1
74		name	[Cycle] fixed	1
75	CLASS		Output data cycle information	1..*
76		id	Cycle code (Code is the same as the parameter [Cycle].)	1
77		name	Cycle name (month, quarter, year, fiscal year)	1
78	CLASS_OBJ	[Regional rank]	Gather regional rank information	1
79		id	[regionalRank] fixed	1
80		name	[Regional rank] fixed	1
81	CLASS		Output regional rank information	1..*
82		id	Regional rank code (Code is the same as the parameter [RegionalRank].)	1
83		name	Regional rank name (Country, Nationwide (Japan), Prefecture, City)	1
84	CLASS_OBJ	[Original and seasonal adjusted]	Gather information separated into original figures and seasonally adjusted figures	1
85		id	[isSeasonal] fixed	1
86		name	[Original Series / Seasonally Adjusted Series] fixed	1
87	CLASS		Output information separated into original figures and seasonally adjusted figures	1..*
88		id	Original and seasonal adjusted code (Code is the same as the parameter "IsSeasonalAdjustment".)	1
89		name	Original and seasonal adjusted name	1
90	CLASS_OBJ	[Preliminary and confirmed]	Gather information separated into preliminary and confirmed	1
91		id	[isProvisional] fixed	1
92		name	[Breaking News or Fixed] fixed	1
93	CLASS		Output information separated into preliminary and confirmed	1..*
94		id	Preliminary and confirmed separate code (0: confirmed, 1: preliminary)	1
95		name	Preliminary and confirmed separate label ("Breaking News" or "Fixed")	1
96	DATA_INF		Output value	1
97	DATA_OBJ		Output 1 data part information	1..*
98	VALUE		Value	1
99		indicator	Indicator code linked to value (Refer to [Indicator] for details)	1
100		unit	Unit code linked to value (Refer to [Unit] for details)	1
101		stat	Statistical survey code linked to value (Refer to [Statistical survey] for details)	1
102		regionCode	Region code linked to value (Refer to [Region] for details)	1
103		time	Time code linked to value (Refer to [Time] for details)	1
104		cycle	Cycle code linked to value (Refer to [Data cycle] for details)	1
105		regionalRank	Regional rank code linked to value (Refer to [Region rank] for details)	1
106		isSeasonal	Original and seasonal adjusted code linked to value (Refer to [Original and seasonal adjusted] for details)	1
107		isProvisional	Preliminary and confirmed code linked to value (Refer to [Preliminary and confirmed] for details)	1
108	CELL_ANNOTATIONS		Gather annotation linked to value	0..1
109	CELL_ANNOTATION		Annotation linked to value	1..*

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(1) Statistics meta information (indicator) acquisition

• Response data (JSON)

Note: From a security perspective, double-byte characters are converted to Unicode escape and then output.

No	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	GET_META_INDICATOR_INF										Parent tag	1
2	RESULT										Output communication results information	1
3	status										Status code *1	1
4	errorMsg										Message *1	1
5	date										Implemented date and time	1
6	PARAMETER										Output input parameter information	1
7	lang										Language	1
8	indicatorCode []										Indicator code	0..50
9	Category										Small classification	0..1
10	Time										Time code	0..1
11	TimeFrom										Time code (start)	0..1
12	TimeTo										Time code (end)	0..1
13	Cycle										Cycle code	0..1
14	RegionalRank										Regional rank code	0..1
15	IsSeasonalAdjustment										Original and seasonal adjusted code	0..1
16	StatCode										Statistics code	0..1
17	StatName										Statistical survey name	0..1
18	SearchIndicatorWord										Indicator name	0..1
19	ModifiedFrom										Date of update (start)	0..1
20	ModifiedTo										Date of update (end)	0..1
21	callback										Callback function name	0..1
22	METADATA_INF										Output meta information	1
23	CLASS_INF										Gather meta information (indicator)	1
24	CLASS_OBJ []										Output 1 indicator information	1..*
25	@name										Indicator name	1
26	@code										Indicator code	1
27	details										Gather description of terms	0..1
28	detail []										Description of terms	1..*
29	@code										Term code	1
30	@name										Term name	1
31	\$										Description of terms (value)	1
32	annotations []										Container for indicator element annotation	0..*
33	@cycle										Cycle code	1
34	@regionalRank										Regional rank code	1
35	@isSeasonal										Original and seasonal adjusted code	1
36	@areaCode										Regional code (only when linking to a specific region)	0..1
37	@annotation										Indicator element annotation (value)	1
38	CLASS []										Output 1 indicator element information	1..*
39	@name										Indicator name (element level)	1
40	@sname										Abbreviated display name	1
41	@fromDate										Start month and year (format is the same as the parameter "Time".)	1
42	@toDate										End month and year (format is the same as the parameter "Time".) (Set "9999" for yyyy as a matter of convenience for items that will not be discarded.)	1
43	Cycle										Output cycle information	1
44	@code										Cycle code	1
45	@name										Cycle name	1
46	RegionalRank										Output regional rank information	1
47	@code										Regional rank code	1
48	@name										Regional rank name	1
49	IsSeasonal										Output original and seasonal adjusted information	1
50	@code										Original and seasonal adjusted code	1
51	@name										Original and seasonal adjusted name	1
52	@statName										Statistical survey name	1
53	@unit										Unit name	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(2) Statistics meta information (region) acquisition

No	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	GET_META_REGION_INF										Parent tag	1
2	RESULT										Output communication results information	1
3	status										Status code *1	1
4	errorMsg										Message *1	1
5	date										Implemented date and time	1
6	PARAMETER										Output input parameter information	1
7	Lang										Language	1
8	RegionCode []										Region code	0..50
9	ParentRegionCode										Top rank region code	0..1
10	Time										Time code	0..1
11	TimeFrom										Time code (start)	0..1
12	TimeTo										Time code (end)	0..1
13	RegionLevel										Region level	0..1
14	SearchRegionWord										Region name	0..1
15	ModifiedFrom										Date of update (start)	0..1

16	ModifiedTo	Date of update (end)	0..1
17	callback	Callback function name	0..1
18	METADATA_INF	Output meta information	1
19	CLASS_INF	Gather meta information (region)	1
20	CLASS_OBJ []	Output top rank region information *2 (Output items that share the top rank region code as a group from among the search results)	1..*
21	@parentRegionCode	Top rank region code	1
22	@name	Top rank region name	1
23	@hiragana	Top rank region name hiragana	1
24	CLASS []	Output 1 region information	1..*
25	@regionCode	Region code	1
26	@name	Region name	1
27	@level	Region level	1
28	@hiragana	Region name hiragana	1
29	@fromDate	Start month and year (format is the same as the parameter "Time".) *3	1
30	@toDate	End month and year (format is the same as the parameter "Time".) *3	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: When top rank region does not exist (if you are at the top rank region), the tag will output (attribute value is blank).

*3: Start month and year, end month and year will switch when the region code is the same and the name changed.
End month and year for surviving regions is fixed at "999912".

(3) Statistics meta information (term) acquisition

No	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	GET_META_TERM_INFO										Parent tag	1
2	RESULT										Output communication results information	1
3	status										Status code *1	1
4	errorMsg										Message *1	1
5	date										Implemented date and time	1
6	PARAMETER										Output input parameter information	1
7	lang										Language	1
8	category										Category code	0..1
9	indicatorCode										Indicator code	0..1
10	statCode										Statistics code	0..1
11	searchTermWord										Term name	0..1
12	ModifiedFrom										Date of update (start)	0..1
13	ModifiedTo										Date of update (end)	0..1
14	CallBack										Callback function name	0..1
15	METADATA_INF										Output meta information	1
16	CLASS_INF										Gather meta information (term)	1
17	CLASS_OBJ										(Tag that combines other API response and hierarchy)	1
18	CLASS										Output 1 term information	1..*
19	@category										Category name	1
20	@name										Term name	1
21	@code										Term code	1
22	@detail										Description of terms	1
23	@linkURL										URL concerning term details and original information	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(4) Statistics meta information (social event) acquisition

No	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	GET_META_SOCIAL_INFO										Parent tag	1
2	RESULT										Output communication results information	1
3	status										Status code *1	1
4	errorMsg										Message *1	1
5	date										Implemented date and time	1
6	PARAMETER										Output input parameter information	1
7	Lang										Language	1
8	Time										Time code	0..1
9	TimeFrom										Time code (start)	0..1
10	TimeTo										Time code (end)	0..1
11	SocialEventLevel										Social event level	0..1
12	Category										Small classification	0..1
13	ModifiedFrom										Date of update (start)	0..1
14	ModifiedTo										Date of update (end)	0..1
15	CallBack										Callback function name	0..1
16	METADATA_INF										Output meta information	1
17	CLASS_INF										Gather meta information (term)	1
18	CLASS_OBJ										Output 1 social event information	1..*
19	@code										Social event code	1
20	@name										Social event name	1
21	@level										Social event level	1
22	@fromTime										Start month and year (yyyy Year mm Month) mm has no 0 supplemented.	1
23	@toTime										End month and year (yyyy Year mm Month) mm has no 0 supplemented.	1
24	CLASS										Output category information linked to the applicable social event	1..*
25	@code										Category code	1
26	@name										Category name	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(5) Statistics meta information (statistical survey) acquisition

No	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	GET_META_STAT_INFO										Parent tag	1
2	RESULT										Output communication results information	1
3	status										Status code *1	1
4	errorMsg										Message *1	1
5	date										Implemented date and time	1
6	PARAMETER										Output input parameter information	1
7	lang										Language	1
8	indicatorCode										Indicator code	0..50
9	statCode										Statistics code	0..1
10	searchSurveyWord										Statistical survey name	0..1
11	ModifiedFrom										Date of update (start)	0..1
12	ModifiedTo										Date of update (end)	0..1
13	CallBack										Callback function name	0..1
14	METADATA_INF										Output meta information	1
15	CLASS_INF										Gather meta information (statistical survey)	1
16	CLASS_OBJ										(Tag that combines other API response and hierarchy)	1
17	CLASS										Output 1 statistical survey information	1..*
18	@code										Statistics code	1
19	@name										Statistical survey name	1
20	@agency										Agency that performed the statistical survey	1
21	@kind										Statistical survey type (fundamental statistics, general statistics, business statistics, processed statistics, other)	1
22	@summary										Statistical survey outline	1
23	@linkUrl										URL link for statistical survey information	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

(6) Statistics data acquisition

No	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	GET_STATS										Parent tag	1
2	RESULT										Output communication results information	1
3	status										Status code *1	1
4	errorMsg										Message *1	1
5	date										Implemented date and time	1
6	PARAMETER										Output input parameter information	1
7	lang										Language	1
8	indicatorCode []										Indicator code	1..5
9	regionCode []										Region code	0..50
10	parentRegionCode										Top rank region code	0..1
11	regionLevel										Region level	0..1
12	time										Time code	0..1
13	timeFrom										Time code (start)	0..1
14	timeTo										Time code (end)	0..1
15	cycle										Cycle code	0..1
16	regionalRank										Regional rank code	0..1
17	isSeasonalAdjustment										Original and seasonal adjusted code	0..1
18	statName										Statistical survey name	0..1
19	valueCondition										Refine conditions relating to the value	0..1
20	metGetFlg										Flag for whether meta information is acquired	0..1
21	sectionHeaderFlg										Flag for whether communication results information is acquired	0..1
22	ModifiedFrom										Date of update (start)	0..1
23	ModifiedTo										Date of update (end)	0..1
24	CallBack										Callback function name	0..1
25	STATISTICAL_DATA										Output statistics data information (meta, value)	1
26	RESULT_INF										Output search results count information	1
27	TOTAL_NUMBER										Total search results count	1
28	FROM_NUMBER										1 fixed	1
29	TO_NUMBER										Total search results count	1
30	TABLE_INF										Output statistical survey information	1
31	STAT_NAME [] [Statistical survey]										Output 1 statistical survey information	1..*
32	@code										Statistics code	1
33	\$										Statistical survey name	1
34	CLASS_INF										Output meta information linked to the data	1
35	CLASS_OBJ []										Gather meta information ([Indicator], [Unit], ..., [Preliminary and confirmed])	8
36	@id [Indicator]										[indicator] fixed	1
37	@name										[Indicator] fixed	1
38	@sname										[Abbreviated display name] fixed	1
39	CLASS []										Output 1 indicator information	1..*
40	@code										Indicator code	1
41	@name										Indicator name	1
42	@sname										Abbreviated display name	1
43	TERM_DETAILS										Gather description of terms	0..1
44	TERM_DETAIL []										Output description of terms	1..*
45	@code										Term code	1

46		@name	Term name	1
47		\$	Description of terms (value)	1
48		INDI_ANNOTATIONS []	Container for indicator element annotation	0..*
49		@cycle	Cycle code	1
50		@regionalRank	Regional rank code	1
51		@isSeasonal	Original and seasonal adjusted code	1
52		@regionCode	Regional code (only when linking to a specific region)	0..1
53		\$	Indicator element annotation (value)	1
54		@id [Unit]	[unit] fixed	1
55		@name	[Unit] fixed	1
56		CLASS []	Output 1 unit information	1..*
57		@code	Unit code	1
58		\$	Unit name (value)	1
59		@id [Region]	[regionCode] fixed	1
60		@name	[Region] fixed	1
61		CLASS []	Output 1 region information	1..*
62		@code	City code (Country level is country name code (ISO 3166-1) 3 digits)	1
63		\$	Region name (value)	1
64		@id [Time]	[time] fixed	1
65		@name	[Time axis] fixed	1
66		CLASS []	Output time axis information	1..*
67		@code	Time code	1
68		\$	Time axis label (value)	1
69		@id [Data cycle]	[cycle] fixed	1
70		@name	[Cycle] fixed	1
71		CLASS []	Output data cycle information	1..*
72		@code	Cycle code (Code is the same as the parameter [Cycle].)	1
73		\$	Cycle name (value) (month, quarter, year, fiscal year)	1
74		@id [Regional rank]	[regionalRank] fixed	1
75		@name	[Regional rank] fixed	1
76		CLASS []	Output regional rank information	1..*
77		@code	Regional rank code (Code is the same as the parameter [RegionalRank].)	1
78		\$	Regional rank name (value) (Country, Nationwide (Japan), Prefecture, City)	1
79		@id [Original and seasonal adjusted]	[isSeasonal] fixed	1
80		@name	[Original Series / Seasonally Adjusted Series] fixed	1
81		CLASS []	Output information separated into original figures and seasonally adjusted figures	1..*
82		@code	Original and seasonal adjusted code (Code is the same as the parameter "IsSeasonalAdjustment".)	1
83		\$	Original and seasonal adjusted name (value)	1
84		@id [Preliminary and confirmed]	[isProvisional] fixed	1
85		@name	[Breaking News or Fixed] fixed	1
86		CLASS []	Output information separated into preliminary and confirmed	1..*
87		@code	Preliminary and confirmed separate code (0: confirmed, 1: preliminary)	1
88		\$	Preliminary and confirmed separate label (value) ("Breaking News" or "Fixed")	1
89		DATA_INF	Output value	1
90		DATA_OBJ	Output 1 data part information	1..*
91		VALUE	Output value	1
92		@indicator	Indicator code linked to value (Refer to [Indicator] for details)	1
93		@unit	Unit code linked to value (Refer to [Unit] for details)	1
94		@stat	Statistical survey code linked to value (Refer to [Statistical survey] for details)	1
95		@regionCode	Region code linked to value (Refer to [Region] for details)	1
96		@time	Time code linked to value (Refer to [Time] for details)	1
97		@cycle	Cycle code linked to value (Refer to [Data cycle] for details)	1
98		@regionalRank	Region rank code linked to value (Refer to [Region rank] for details)	1
99		@isSeasonal	Original and seasonal adjusted code linked to value (Refer to [Original and seasonal adjusted] for details)	1
100		@isProvisional	Preliminary and confirmed code linked to value (Refer to [Preliminary and confirmed] for details)	1
101		\$	Value	1
102		CELL_ANNOTATIONS	Gather annotation linked to value	0..1
103		\$	Annotation linked to value *2	1

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: Connect using ";" when linking multiples.

(6) Statistics data acquisition

• Response data (JSON-stat)

Note: From a security perspective, double-byte characters are converted to Unicode escape and then output.

No.	Element (tag) name										Description	Appearance Count
	1	2	3	4	5	6	7	8	9	10		
1	version										[2.0] fixed (JSON-stat format version information.)	1
2	class										[Collection] fixed	1
3	extension										Output communication results, parameter information	1
4	result										Output communication results information	1
5	status										Status code *1	1
6	errorMsg										Message *1	1
7	date										Implemented date and time	1
8	parameter										Output input parameter information	1
9	lang										Language	1
10	indicatorCode []										Indicator code	1..5
11	regionCode []										Region code	0..50
12	parentRegionCode										Top rank region code	0..1
13	regionLevel										Region level	0..1
14	time										Time code	0..1
15	timeFrom										Time code (start)	0..1
16	timeTo										Time code (end)	0..1
17	cycle										Cycle code	0..1
18	regionalRank										Regional rank code	0..1
19	isSeasonalAdjustment										Original and seasonal adjusted code	0..1
20	statName										Statistical survey name	0..1
21	valueCondition										Refine conditions relating to the value	0..1
22	metGetFlg										Flag for whether meta information is acquired	0..1
23	sectionHeaderFlg										Flag for whether communication results information is acquired	0..1
24	modifiedFrom										Date of update (start)	0..1
25	modifiedTo										Date of update (end)	0..1
26	callBack										Callback function name	0..1
27	link										Output statistics data information (meta, value)	1
28	item []										Output 1 indicator element information	1..*
29	class										[Dataset] fixed	1
30	label										Indicator name	1
31	extension										Output various information linked to the applicable indicator element	1
32	ShortDescription										Abbreviated display name (only when present)	0..1
33	Cycle										Output data cycle information	1
34	index										Cycle code (Code is the same as the parameter [Cycle].)	1
35	label										Cycle name (month, quarter, year, fiscal year)	1
36	RegionalRank										Output regional rank information	1
37	index										Regional rank code (Code is the same as the parameter [RegionalRank].)	1
38	label										Regional rank name (Country, Nationwide (Japan), Prefecture, City)	1
39	isSeasonalAdjustment										Output information separated into original figures and seasonally adjusted figures	1
40	index										Original and seasonal adjusted code (Code is the same as the parameter "isSeasonalAdjustment".)	1
41	label										Original and seasonal adjusted name	1
42	TermsSummary []										Output description of terms *2	1..*
43	title										Statistical survey name	1
44	href										URL link for statistical survey	1
45	summary										Statistical survey outline	1
46	note []										Indicator element annotation *3	1..*
47	updated										Final date of update for data in the applicable indicator element *4	1
48	id []										Output ID name for reference (output order fixed)	-
49	(Indicator)										[Indicator] fixed	-
50	(Region)										[Region] fixed	-
51	(Time)										[Time] fixed	-
52	size []										Output element count for each ID (output order fixed)	1
53	(Indicator)										Indicator element count relating to the applicable response	-
54	(Region)										Region element count relating to the applicable response	-
55	(Time)										Time element count relating to the applicable response	-
56	role										[metric],[geo],[time] allocation of JSON-stat format	1
57	metric []										[Indicator] fixed (only 1 element)	1
58	geo []										[Region] fixed (only 1 element)	1
59	time []										[Time] fixed (only 1 element)	1
60	dimension										Output detailed information for each ID	1
61	Indicator										Output indicator element information	1
62	label										[Indicator element] fixed	1
63	category										Output detailed information for indicator element	1
64	index										"Indicator element code" [:] Index number *5	1
65	label										"Indicator element code" [:] "[Indicator name],[Cycle name],[Regional rank name],[Original and seasonal adjusted name]"	1
66	unit										"Indicator element code" [:] (The following array)	1
67	label										Unit name	1
68	code										Unit code	1
69	Region										Output region information	1
70	label										[Region] fixed	1
71	category										Output detailed information for region	1
72	index										"City code" [:] Index number *5	1
73	label										"City code" [:] "Region name"	1
74	Time										Output time axis information	1
75	label										[Time] fixed	1
76	category										Output detailed information for time axis	1
77	index										"Time code" [:] Index number *5	1
78	label										"Time code" [:] "Time axis label"	1
79	value []										Values sorted in the order of time index, region index *6	1..*
80	status []										Cell annotation sorted in the order of time index, region index *7	1..*

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: Set "[Term name],[Description of terms]" as a single set and output the array delimited with [,].

*3: Set "[Region name],[Indicator element annotation]" as a single set and output the array delimited with [,]. (If there is no annotation for specific regions, "[Indicator element annotation]" is used as a single set by itself.)

*4: The date format complies with "ISO 8601" by conforming to the JSON-stat format. UTC standard has Z at the end.

*5: Index number starts at 0.

*6: When sorting by time and region for convenience and combining time and region, it is possible that some cells will occur without values. As a matter of convenience, the output will be "" (blank) for such a case.

*7: Since there is a possibility that multiple cell annotation will be linked, output occurs as an array delimited by " , ".

"Preliminary and confirmed separate" is also taken as part of the annotation, and preliminary and confirmed separate code is assigned to the end of the applicable array.


Preliminary and confirmed separate code is "0: confirmed, 1: preliminary", and links to all cells.

For convenience, "****" is output for cells that do not have even a single cell annotation linked.

(1) Statistics meta information (indicator) acquisition

- Response data (CSV)

[Output image]



[Search results meta information]

No	1st column Element (tag) name	2nd column Value	Description
1	GET_META_INDICATOR_INF		Parent tag
2	RESULT		Output communication results information
3	STATUS	✓	Status code *1
4	ERROR_MSG	✓	Message *1
5	DATE	✓	Implemented date and time
6	PARAMETER		Output input parameter information *2
7	LANG	✓	Language
8	INDICATOR_CODE	✓ *3	Indicator code
9	CATEGORY	✓	Small classification
10	TIME	✓	Time code
11	TIME_FROM	✓	Time code (start)
12	TIME_TO	✓	Time code (end)
13	CYCLE	✓	Cycle code
14	REGIONAL_RANK	✓	Regional rank code
15	IS_SEASONAL_ADJUSTMENT	✓	Original and seasonal adjusted code
16	STAT_CODE	✓	Statistics code
17	STAT_NAME	✓	Statistical survey name
18	SEARCH_INDICATOR_WORD	✓	Indicator name
19	MODIFIED_FROM	✓	Date of update (start)
20	MODIFIED_TO	✓	Date of update (end)
21	METADATA_INF		Output meta information
(Next line is to [Data header section])			

[Data header section]

No	Column name	Description
1	indicatorCd	Indicator code
2	indicatorNm	Indicator name
3	shortNm	Abbreviated display name
4	cycle	Cycle code
5	regionalRank	Regional rank code
6	isSeasonal	Original and seasonal adjusted code
7	unitNm	Unit name
8	fromDate	Start month and year (format is the same as the parameter "Time".)
9	toDate	End month and year (format is the same as the parameter "Time".) (Set "9999" for yyyy as a matter of convenience for items that will not be discarded.)
10	Term_detail	Description of terms *4
11	annotation	Indicator element annotation *5
12	statNm	Statistical survey name
(Next line is to [Data section])		

*4: Connect using ";" when setting [Term name]=[Explanation of terms] as a single set and there are multiple sets.

*5: For annotation linked to a specific region, write [region name]=[indicator element annotation].

Only write indicator element annotation for annotation that does not link to a region. Connect using ";" when setting the above as a single set and there are multiple set

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: The value is output as "" for non-specified parameters.

*3: The 3rd and successive columns are used when specifying multiples.

(2) Statistics meta information (region) acquisition

[Search results meta information]

No	1st column Element (tag) name	2nd column Value	Description
1	GET_META_REGION_INF		Parent tag
2	RESULT		Output communication results information
3	STATUS	✓	Status code *1
4	ERROR_MSG	✓	Message *1
5	DATE	✓	Implemented date and time
6	PARAMETER		Output input parameter information *2
7	LANG	✓	Language
8	REGION_CODE	✓ *3	Region code
9	PARENT_REGION_CODE		Top rank region code
10	TIME	✓	Time code
11	TIME_FROM	✓	Time code
12	TIME_TO	✓	Time code
13	REGION_LEVEL	✓	Region level
14	SEARCH_REGION_WORD	✓	Region name
15	MODIFIED_FROM	✓	Date of update (start)
16	MODIFIED_TO	✓	Date of update (end)
17	METADATA_INF		Output meta information
(Next line is to [Data header section])			

[Data header section]

No	Column name	Description
1	upAreaCd	Top rank region code *4
2	upAreaNm	Top rank region name *4
3	upHiragana	Top rank region hiragana *4
4	areaCd	Region code
5	areaNm	Region name
6	areaLevel	Region level
7	hiragana	Region name hiragana
8	fromDate	Start month and year (format is the same as the parameter "Time.") *5
9	toDate	End month and year (format is the same as the parameter "Time.") *5
(Next line is to [Data section])		

*4: When top rank region does not exist (if you are at the top rank region), it is blank.

*5: Start month and year, end month and year will switch when the region code is the same and the name changed.

End month and year for surviving regions is fixed at "999912".

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: The value is output as "" for non-specified parameters.

*3: The 3rd and successive columns are used when specifying multiples.

(3) Statistics meta information (term) acquisition

[Search results meta information]

No	1st column Element (tag) name	2nd column Value	Description
1	GET_META_TERM_INFO		Parent tag
2	RESULT		Output communication results information
3	STATUS	✓	Status code *1
4	ERROR_MSG	✓	Message *1
5	DATE	✓	Implemented date and time
6	PARAMETER		Output input parameter information *2
7	LANG	✓	Language
8	CATEGORY	✓	Category code
9	INDICATOR_CODE	✓	Indicator code
10	STAT_CODE	✓	Statistics code
11	SEARCH_TERM_WORD	✓	Term name
12	MODIFIED_FROM	✓	Date of update (start)
13	MODIFIED_TO	✓	Date of update (end)
14	METADATA_INF		Output meta information
(Next line is to [Data header section])			

[Data header section]

No	Column name	Description
1	fieldNm	Category name
2	termCd	Term code
3	termNm	Term name
4	detail	Description of terms
5	url	URL link for terms
(Next line is to [Data section])		

- *1: Refer to the separate sheet "Process results code list" for the status code and message.
- *2: The value is output as "" for non-specified parameters.

(4) Statistics meta information (social event) acquisition

[Search results meta information]

No	1st column	2nd column	Description
	Element (tag) name	Value	
1	GET_META_SOCIAL_INFO		Parent tag
2	RESULT		Output communication results information
3	STATUS	✓	Status code *1
4	ERROR_MSG	✓	Message *1
5	DATE	✓	Implemented date and time
6	PARAMETER		Output input parameter information *2
7	LANG	✓	Language
8	TIME	✓	Time code
9	TIME_FROM	✓	Time code (start)
10	TIME_TO	✓	Time code (end)
11	SOCIAL_EVENT_LEVEL	✓	Social event level
12	CATEGORY	✓	Small classification
13	MODIFIED_FROM	✓	Date of update (start)
14	MODIFIED_TO	✓	Date of update (end)
15	METADATA_INF		Output meta information
(Next line is to [Data header section])			

- *1: Refer to the separate sheet "Process results code list" for the status code and message.
- *2: The value is output as "" for non-specified parameters.

[Data header section]

No	Column name	Description
1	fieldCd	Category code
2	fieldNm	Category name
3	socialCd	Social event code
4	socialNm	Social event name
5	level	Social event level
6	fromTime	Start month and year (yyyy Year mm Month) mm has no 0 supplemented.
7	toTime	End month and year (yyyy Year mm Month) mm has no 0 supplemented.
(Next line is to [Data section])		

(5) Statistics meta information (statistical survey) acquisition

[Search results meta information]

No	1st column	2nd column	Description
	Element (tag) name	Value	
1	GET_META_STAT_INFO		Parent tag
2	RESULT		Output communication results information
3	STATUS	✓	Status code *1
4	ERROR_MSG	✓	Message *1
5	DATE	✓	Implemented date and time
6	PARAMETER		Output input parameter information *2
7	LANG	✓	Language
8	INDICATOR_CODE	✓	Indicator code
9	STAT_CODE	✓	Statistics code
10	SEARCH_SURVEY_WORD	✓	Statistical survey name
11	MODIFIED_FROM	✓	Date of update (start)
12	MODIFIED_TO	✓	Date of update (end)
(Next line is to [Data header section])			

- *1: Refer to the separate sheet "Process results code list" for the status code and message.
- *2: The value is output as "" for non-specified parameters.

[Data header section]

No	Column name	Description
1	statCd	Statistics code
2	statNm	Statistical survey name
3	agency	Agency that performed the statistical survey
4	kind	Statistical survey type (fundamental statistics, general statistics, business statistics, processed statistics, other)
5	summary	Statistical survey outline
6	url	URL link for statistical survey information
(Next line is to [Data section])		

(6) Statistics data acquisition

[Search results meta information]

No	1st column	2nd column	Description
	Element (tag) name	Value	
1	GET_STATS		Parent tag
2	RESULT		Output communication results information
3	STATUS	✓	Status code *1
4	ERROR_MSG	✓	Message *1
5	DATE	✓	Implemented date and time
6	PARAMETER		Output input parameter information *2
7	LANG	✓	Language
8	INDICATOR_CODE	✓	Indicator code
9	REGION_CODE	✓	Region code
10	PARENT_REGION_CODE	✓	Top rank region code
11	REGION_LEVEL	✓	Region level
12	TIME	✓	Time code
13	TIME_FROM	✓	Time code
14	TIME_TO	✓	Time code
15	CYCLE	✓	Cycle code
16	REGIONAL_RANK	✓	Regional rank code
17	IS_SEASONAL_ADJUSTMENT	✓	Original and seasonal adjusted code
18	STAT_NAME	✓	Statistical survey name
19	VALUE_CONDITION	✓	Refine conditions for the value
20	META_GET_FLG	✓	Meta information displayed or not
21	SECTION_HEADER_FLG	✓	RESULT displayed or not
22	MODIFIED_FROM	✓	Date of update (start)
23	MODIFIED_TO	✓	Date of update (end)
24	STATISTICAL_DATA		Output statistics data information (meta, value)
25	RESULT_INF		Output search results count information
26	TOTAL_NUMBER	✓	Total search results count
27	FROM_NUMBER	✓	1 fixed
28	TO_NUMBER	✓	Total search results count
29	TABLE_INF		Output statistical survey information
30	STAT_CD	✓	Statistics code
31	STAT_NAME	✓	Statistical survey name (Support "STAT_CD" order when multiples)
32	GOV_ORG	✓	Statistics agency (Support "STAT_CD" order when multiples)
33	METADATA_INF		Output meta information linked to the data
34	UNIT_CD	✓	Unit code
35	UNIT_NM	✓	Unit name (Support "UNIT_CD" order when multiples)
36	INDICATOR_CD	✓	Indicator code
37	DESCRIPTION	✓	Indicator name (Support "INDICATOR_CD" order when multiples)

[Data header section]

No	Column name	Description
1	indicatorCd	Indicator code
2	unitCd	Unit code
3	statCd	Statistics code
4	regionCd	City code
5	timeCd	Time code
6	cycle	Cycle code
7	regionalRank	Regional rank code
8	isSeasonal	Original and seasonal adjusted code
9	isProvisional	Preliminary and confirmed separate code
10	value	Value
11	cellAnnotations	Cell annotation *6
(Next line is to [Data section])		

- *6: Connect using ";" when linking multiples.

38	S_DESCRIPTION	✓ *3	Abbreviated display name (Support "INDICATOR_CD" order when multiples)
39	REGION_CD	✓ *3	City code (Country level is country name code (ISO 3166-1) 3 digits)
40	REGION_NM	✓ *3	Region name (Support "REGION_CD" order when multiples)
41	TIME_CD	✓ *3	Time code
42	TIME_NM	✓ *3	Time axis label (Support "TIME_CD" order when multiples)
43	CYCLE_CD	✓ *3	Cycle code (Code is the same as the parameter [Cycle].)
44	CYCLE_NM	✓ *3	Cycle name (month, quarter, calendar year, fiscal year) (Support "CYCLE_CD" order when multiples)
45	REGION_RANK_CD	✓ *3	Regional rank code (Code is the same as the parameter [RegionalRank].)
46	REGION_RANK_NM	✓ *3	Regional rank name (Country, Nationwide (Japan), Prefecture, City) (Support "REGION_RANK_CD" order when multiples)
47	IS_SEASONAL_CD	✓ *3	Original and seasonal adjusted code (Code is the same as the parameter [IsSeasonalAdjustment].)
48	IS_SEASONAL_NM	✓ *3	Original and seasonal adjusted name (Support "IS_SEASONAL_CD" order when multiples)
49	TERM_DETAILS	✓ *3	Description of terms *4
50	INDI_ANNOTATIONS	✓ *3	Indicator element annotation *5
51	IS_PROVISIONAL_CD	✓ *3	Preliminary and confirmed separate code (0: confirmed, 1: preliminary)
52	IS_PROVISIONAL_NM	✓ *3	Preliminary and confirmed separate label ("Preliminary" or "Confirmed") (Support "IS_PROVISIONAL_CD" order when multiples)
(Next line is to [Data header section])			

*1: Refer to the separate sheet "Process results code list" for the status code and message.

*2: The value is output as "" for non-specified parameters.

*3: The 3rd and successive columns are used when specifying multiples.

*4: Connect using ";" when setting [Linked indicator code];[Term name]=[Description of terms] as a single set and there are multiple sets.

*5: Connect using ";" when setting [Linked indicator element code];[Region name]=[Indicator element annotation] as a single set and there are multiple sets.
(If there is no annotation for specific regions, it becomes [Linked indicator element code]=[Indicator element annotation].)

Statistics Dashboard WebAPI Manual
Process results code list

Results code *1	HTTP Status	Message *2	Description	Output target API					
				① Meta (Indicator)	② Meta (Region)	③ Meta (Term)	④ Meta (Social event)	⑤ Meta (Statistical survey)	⑥ Data
0	200	Success.	Normal end. Message when data was acquired without any problems with the parameters.	✓	✓	✓	✓	✓	✓
1	200	It ended normally but data did not exist.	Normal end (Result is 0: No corresponding data). Message when there are no problems with the parameters but no data exists.	✓	✓	✓	✓	✓	✓
101	400	{0} is mandatory input.	Message when a required parameter has not been input. The parameter name is output for {0}.	✓	✓	✓	✓	✓	✓
103	400	Parameter is invalid.	Message when the parameter name contains a character string that is against the rules. Note that the parameter name is strictly case-sensitive.	✓	✓	✓	✓	✓	✓
104	400	Please specify {0} within {1}.	Message when a parameter that exceeds the specified count has been inputted. Parameter name is output for {0} and the maximum item count is output for {1}.	✓	✓			✓	✓
105	400	Please specify the time axis with 8 digits.	Message when the number of digits for the parameter value specified in [Time],[TimeFrom],[TimeTo] is anything other than 8 digits. Basically it is Gregorian calendar year 4 digits + Month 2 digits + Day 2 digits.	✓	✓		✓		✓
106	400	The format of TimeFrom and TimeTo do not match.	Message when the format of the parameter value specified in [TimeFrom],[TimeTo] does not match. Format is specified to be compatible with any of the following: [vvvmm00].[vvvnnQ00].[vvvCY00].[vvvFY00].	✓	✓		✓		✓
107	400	The format of the valueCondition is invalid.	Message when the parameter format in [ValueCondition] is incorrect. Format is specified the comparison symbol "<" ">" at the beginning, and the numerical value to be searched at the behind.						✓
		The format of the value is invalid.	Message when the parameter value format in [modifiedFrom],[modifiedTo] is incorrect. It is Gregorian calendar year 4 digits + Month 2 digits + Day 2 digits.	✓	✓	✓	✓	✓	✓
200	500	An error occurred during DB access. Please wait and try again.	Message for an internal error that occurs when accessing the database. If the problem still persists after waiting for a few moments, please contact the Statistics Bureau.	✓	✓	✓	✓	✓	✓
299	500	An unexpected error occurred. Please wait and try again.	Message for an internal error that occurs for anything other than when accessing the database. If the problem still persists after waiting for a few moments, please contact the Statistics Bureau.	✓	✓	✓	✓	✓	✓
301	200	The search result is 0. Please review the conditions.	Message when unable to extract data with the [ValueCondition] parameter.						✓
400	200	Please specify the condition so that it is within 100000 cases.	Error message when the search results exceed a count of 100 thousand.						✓
404	404	Page Not Found. Please specify the correct URL.	Error message when a URL that does not exist was requested. Note that the base URL is strictly case-sensitive.	✓	✓	✓	✓	✓	✓

*1: Support [STATUS],[status] among RESULT tags from each response.

*2: Support [ERROR_MSG],[errorMsg] among RESULT tags from each response.